# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



1932



# "Delightful Old-fashioned Flowers"

A MOST COMPLETE COLLECTION

OF

HARDY PLANTS

for Borders and Rock Gardens

# HAMMONASSETT GARDENS

MADISON, CONN.

FRANK JOSIFKO, Proprietor

## **FOREWORD**

In presenting the 1932 edition of my catalogue of Hardy Border and Rock Plants, I wish to announce that although I temporarily (during the year 1931) relinquished the ownership of the business which I personally originated and operated for so many years, I have again assumed sole proprietorship and shall continue it under the title of—

"HAMMONASSETT GARDENS", adopted last year.

I wish to assure all my old friends and customers that their orders and inquiries shall receive my usual care and prompt attention.

My collection of Hardy Plants embraces a most select assortment of varieties for both Flower Borders and Rock Gardens. Their general character and hardiness have been carefully noted in my gardens and are offered with reasonable confidence of their proving most satisfactory.

Soliciting a continuance of the patronage of all my old customers and hoping to hear from many new ones, I look forward with them to a happy and successful gardening year.

-FRANK JOSIFKO.

- PRICES quoted in this list are net, F.O.B., and subject to no discounts. Our prices are as low as the high quality of the stock warrants and are consistent with the prices of other reputable firms.

  QUALITY must be considered in comparing prices.
- ORDERS. To avoid disappointments we urge orders being placed early. All plants are offered subject to being unsold on receipt of order. Please give explicit shipping directions. Write your name and address distinctly.
- **TERMS.** Cash with order. Any orders involving other terms must be accompanied by satsifactory references. Postage or Express charges must be paid by customer. All orders accompanied with cash in full will be packed without charge.
- **C.O.D. ORDERS** must be accompanied by a remittance of part payment to guarantee charges. All such orders can only be shipped by express.
- **SMALL ORDERS.** We do not solicit orders for less than \$1.00 and such orders will not be filled unless an allowance for packing be made. Packing charges are made at actual cost.
- SUBSTITUTIONS. Unless specifically authorized to do so, no substitutions are made. We suggest, however, that we be instructed to use our judgment in such cases, as often, as the season advances, we may be sold out on some varieties, but we may still have equally choice items available which will prove as good as—and often superior to—the varieties ordered and which cannot be supplied.
- **RISK.** Shipments travel at purchaser's risk. Our responsibility ceases upon delivery to the transportation company and when we have their receipt for shipment.
- **ERRORS.** Keep an exact copy of your order. We endeavor to fill all orders correctly. When we are at fault we will make satisfactory adjustment.
- NON-WARRANTY. We grow and ship only the best and healthiest plants, but we cannot give any warranty as to description or trueness to name, as conditions, climatic and soil, exist over which we have no control.



ACONITUM

## PRICES

25 cents each for good strong plants; \$2.50 per doz. of one variety, except where otherwise noted. Extra heavy clumps at correspondingly higher prices. Six of a variety at the dozen rate. SELECTED VARIETIES, ONE OF EACH, AT THE SINGLE RATE.

Varieties preceded by an asterisk (\*) are suitable for use in Rock Gardens.

Varieties preceded by (x) are sold out for this season.

ACHILLEA. Well drained soil in sun.
ageratum (Sweet Yarrow). Yellow. 15 in. June.
filipendula (Fernleaf Yarrow). Yellow. 3 ft. July.
macedonica. Yellow. 3 ft. June-July.
Millefolium roseum (Pink Yarrow). Pink. 18 in. JulySept.

Parker's Variety. Taller; yellow. 212 ft. June-Sept.

Ptarmica, Perry's White. Large; white. 18 in. June-July.

\*tomentosa (Woolly Yarrow). Bright yellow. 8 in. June.

ACONITUM. Ordinary soil in sun or semi-shade. autumnale. (Autumn Monkshood). Deep blue. 30 cts. each, \$3 per doz. Sept. 2 ft.

Fischeri Wilsoni (Violet Monkshood), Large; violet-blue, 75c each. 5 ft. Sept.-Oct.

Napellus (Aconite). Dark blue. 35 cts. each, \$3.50 per doz. 3 ft. June.

Napellus alba (White Aconite). Light blue. 50 cts. each. 3 ft. June.

ACORUS.

CORUS. Moist soil, sun or semi-shade.
Calamus variegatus (Striped Sweet Flag). Variegated.
July. 2 ft.

ADENOPHORA. Ordinary soil in sun. x Potanini (Bush Ladybell). Pale blue. 1½ ft. July.

ADONIS. Ordinary soil in sun or light shade.
\*\*amurensis (Adonis). Large; yellow. \$1.00 each.
\*\*amurensis flore-pleno. Double; yellow. \$1.00 each.

AETHIONEMA. Well drained soil in sun.
x\*grandiflorum (Persian Stone Cress). R
gray foliage. 12 in. Sold out for season. Rose. Silver-

AETHIOPAPPUS. Ordinary soil in sun.
Pulcherrimus. Pinkish white flowers. 1½ ft. June-Sept. 50c ea.

AGAPANTHUS. Ordinary soil in sun.
umbellatus (African Lily). Blue. 3 ft. July-Aug. \$1
each. (Not quite hardy.)

AJUGA. Ordinary soil in sun.

\*genevensis (Bugle). Blue. 6 in. May-June.
\*reptans variegata (Yellow Variegated Bugle). Foliage
variegated yellow. 6 in. May-June.
\*versicolor (White Variegated Bugle). Showy. 6 in.
May-June. 35 cts. each.

\*\*ALLIUM. Ordinary soil in sun.

\*\*cyaneum. Light blue, 12 in. May-June. 40c ea.

\*flavum (Yellow Chive). Yellow. 12 in. June. 35 cts. stellatum. Rose pink flowers. June. 18 in. 40c.

ALTHAEA. (Hollyhocks.) Ordinary soil; sun. Rosea Double. In many delightful colors.
Rosea Single. In lovely assortment. 20 cts. each, \$2 per doz.; extra strong, 30 cts., per doz. \$3.00.

\*\*ALYSSUM. Well drained soil in sun.

\*rostratum (Yellowhead Alyssum). Golden yellow. 12
in. June-July.

citrinum. Light yellow. 10 in. May-June. 30 cts. ea.

\*saxatile compactum (Golden Tuft). Yellow; fragrant.

10 in. April-May.

\*Wulfenianum. Sulphur-yellow. 40 cts. each. June.

AMPELOPSIS. Ordinary soil in sun.

heterophylla elegans. A vine with pretty variegated foliage. 50c each.

AMSONIA. Ordinary soil in sun or light shade.

Tabernaemontana (salicifolia). (Willow Amsonia.) Steelblue. 2½ ft. May-June. 30 cts. each.

ANCHUSA. NCHUSA. Well drained, rich soil in sun. Barrelieri (Early Bugloss). Dark blue; white eye. 2½

ntalica. Dropmore. (Italian Bugloss). Sky-blue, myosotidifiora (Siberian Bugloss). Blue. Apri 12 in. 50 cts. each. April-May

ANEMONE. Rich soil in light shade.

NEMUNE: Rich soil in light shade.

\*\*Hupehensis\* (Windflower). Pale mauve. 12 in. Aug.-Oct. 35 cts. each, \$3.50 per doz.

japonica alba. Single; white. Sept.-Oct.

--Honorine Joubert. Largest white. 2-3 ft. Sept.-Oct.

--Louis Uhink. White; double. 2-3 ft. Sept.-Oct. 35 cts. each.

Prince Heinrich. Double; crimson. 2-3 ft. Sept.-Oct. Queen Charlotte. Semi-double; rare pink. 2-3 ft. Sept.-Oct.

ANEMONE (Continued)

-rubra. Rosy red. 2½ ft. Sept.-Oct.
--Whirlwind. White. 2-3 ft. Sept.-Oct.
\*Pennsylvanica. Fine white. 12 in. May-June. 2\*
\*pulsatilla (European Pasqueflower). Violet.
April-May. 35 cts. each.
pulsatilla alba. White. 10 in. April-May. 75c ea
\*rubra (Red Pasqueflower). 12 in. April-May. 25c ea. 12 in.

30 cts. each

All Anemones 30 cts. each, \$3 per doz., except where otherwise noted.

NTHEMIS. Ordinary soil in sun or light shade. tinctoria Kelwayi (Kelway Chamomile). Golden yellow. 2-3 ft. June-Oct. ANTHEMIS.

UM liliastrum 2 ft. 30 cts. ea ANTHERICUM (St. Bruno's Lily). Tune 30 cts. each. White.

**AQUILEGIA.** Well drained soil in sun.
\*Alpina (Alpine Columbine). Chaste blue. 18 in. June.

\*caerulea (Colorado Columbine). Blue and white; long-spurred. 2 ft. May-June. 35 cts. each. chrysantha (Golden Columbine). Yellow; long-spurred.

chrysantha (Golden Columbine). Yellow; long-spurred. 3 ft. June-July hylodgensis. Long-spurred mixed colors. June. 2½ ft. vulgaris (European Columbine). Single and double; violet-blue. 2-3 ft. May-June. vulgaris nivea (White European Columbine). Low; white. 2½ ft. May-June.

\*\*ARABIS. Well drained soil in sun.

\*\*alpina (Alpine Rock Cress). White, 5 in. April-May.

\*\*alpine flore-pleno (Double Alpine Rock Cress). Double.
6 in. May. 40 cts. each.

\*\*alpina rosea. Light pink. 6 in. May. 35 cts. each.

ARCTOSTAPHYLOS. Sandy acid soil in semi-shade.
\*Uva-ursi (Bearberry). Trailing evergreen. Flowers white, followed by large red berry 50 cts. each.

Well drained soil in sun \*montana (Mountain Sandwort).
May. 30 cts. each.
\*verna (Tufted Sandwort). Whi
30 cts. each. White. 4 in.

1-2 in. May-Aug. White.

ARRHENANTHERUM. Ordinary soil in sun.
\*bulbosum varlegatum (Variegated Oatgrand white leaves, 12 in. Oatgrass). Green

ARTEMISIA. Ordinary soil in abrotanum (Southernwood). in sun.

Aromatic odor. 2-3 ft. 30 ets. each. Absinthium (Common Wormwood). Medicinal qualities.

Dracunculus (Tarragon). True. Many culinary uses. 3 ft. 35 cts. each. lactiflora (White Mugwort). Creamy white; fragrant.

4-5 ft.

\*Stelleriana (Beach Wormwood). Silvery cut foliage. 12 in.

ASCLEPIAS. Ordinary tuberosa (Butterfly V Aug. 35 ets. each. Ordinary soil in sun, utterfly Weed). Orange. Showy. 2 ft. July.

ASPERULA. Ordinary soil in light shade.
hexaphylla (Misty Woodruff). Used for bouquets instead of Baby's Breath. Scented. 2½ ft. June-July.
\*odorata (Sweet Woodruff). Fragrant leaves. White.
10 ins. July.

ASTER (Michaelmas Daisy). Rich soil in sun.
Amellus (Italian Aster). Early; pink-lavender.

STER (Michaelmas Daisy). Rich soil in sun.
Amelus (Italian Aster). Early; pink-lavender. 2
Aug.-Sept. 30 cts. each.
—King George. New. Large; bluish violet. 2 ft. Au
Sept. 50 cts. each, \$5 per doz.
—rosea. Pink. 2 ft. Aug.-Sept. 30 cts. each.
Enfante de Vetry. Semi-double; lilac-mauve. 2½ ft.
Sept. 35 cts. each.
—Lutetia. Beautiful yellow-lavender. 2-3 ft. Sept.-Cot.
novae-angliae, Beauty of Castille. Dark purple. 3
ft. Sept.-Oct.
—Mrs. S. T. Wright. Rosy purple. 4 ft. Sept.-Oct.
novi-belgi, Climax. Lavender blue. 3 ft. Aug.-Oct.
—Grace Sweet. Dark lavender blue. 4 ft. Sept.
—White Climax. White. 3 ft. Aug.-Oct.

ASTILBE. Moist ground in sun or semi-shade.

Arendsi Ceres. Light rose, silvery sheen. 2½ ft. JulyAug. 50 cts. each, \$5 per doz.

—Moerheimi. Creamy white. Late. 4 ft. Aug.-Sept.
60 cts. each. \$6 per doz.

—Princess Juliana. Soft pink. 2 ft. July. 50 cts. each.
—Queen Alexandra. Deepest pinkish red. 2 ft. JulyAug. 50 cts. each, \$5 per doz.

—Salland. Distinct red. Late. 4 ft. Aug.-Sept. 60 cts.
each, \$6 per doz.

—W. E. Gladstone. Large; white. 2-2½ ft. July. 50
cts. each, \$5 per doz.

cts. each, \$5 per doz.

ASTRANTIA corniolica rosea. Light pink. 2 ft. Summer. 35 cts. each.

Ordinary soil in light shade. raeca. Purple blue. 6 in. April-May. AUBRIETIA.

\*deltoidea gracea. Purple blue. 6 in. April-May. 30 cts. each, \$3 per doz.

\*Mixed Hybrids. Mixture of large-flowering varieties. 6 in. April-May. 30 cts. each, \$3 per doz.

BAPTISIA. Ordinary soil in sun. australis (False Indigo). Dark blue. 3-4 ft. May-July.

BELAMCANDA. Ordinary soil in sun. chinensis (Pardanthus chinensis). chinensis (Pardanthus ch Orange. 3 ft. July-Aug. Blackberry Lily.

Ordinary soil in sun or light shade. **s** (English Daisy). Double; white and pink. May-June. 10 cts. each, \$1 per doz. BELLIS. \*perennis May-June. 5 in.

BOCCONIA. Ordinary soil in sun or light shade. cordata (japonica). (Pink Plume Poppy.) Pinkish white. 6-8 ft. July-Aug.

BOLTONIA. Ordinary soil in sun. steroides (White Boltonia). White. 4½-5 ft. Aug.-Sept. latisquama (Violet Boltonia). Pink, tinged lavender. 4-5 Aug.-Sept.

Well drained soil in sun. BUDDLEIA Davidi magnifica (Butterfly Bush). superb shrub. 50 cts. and \$1 each. Lilac-mauve. A

BUPHTHALMIUM. Ordinary soil in sun. salicifolium (Willowleaf Ox-eye). Yellow. 1½ ft. June-July. Large

speciosum (cordifolium). (Heartleaf Ox-eye). yellow. 3-4 ft. June-July.

#### CHOICE CACTI

Our collection of cacti and succulants comprises many rare and attractive plants which are considered the curios in the plant kingdom. Our assortment of over 500 varieties, which we grow mostly from seed, are consequently more acclimated for this section of the country. We heartily recommend them to any one interested in growing these kind of nature's gems, particularly the varieties such as Old Man Cactus, Living Rock Cactus, Putting-in-a-Bag Cactus, Allegator Cactus, Bishopshead, Giant Column, Night Candle, Rattle Snake's Tongue, Case Knife Cactus, etc.

ALAMINTHA. Ordinary soil in sun. \*satureia alpina. Rose. 6 in. June CALAMINTHA.

CALIMERIS. Ordinary soil in sun. incisa. Light purple, yellow stamens. 2 ft. July-Aug.

CALLIRHOE. Well drained soil in sun.
\*involucrata (Low Poppy Mallow). Ci
ter 12 in. June-Sept. Crimson; white cen-

\*vulgaris nana (Moss Heather). CALLUNA. 6 in. July. 75 cts.

**CALYSTEGIA** pubescens (California Rose). Pink; double. 35 cts. each; \$4.00 dozen.

CAMASSIA. Ordinary soil in sun or semi-shade.
esculenta (quamash). Light blue. 2½ ft. May-June.
30 cts. each.
leichtlini (Camas). Yellow, star-like flowers; early. 3-1
ft. May-June. 40 cts. each.
leichtlini alba. Creamy white, star-like flowers. 3 ft.
May-June. 60 cts. each.



CAMPANULA CARPATICA

CAMPANULA. Well drained soil in sun. alliariaefolia (Spurred Bellflower). White, 2 ft. July. 30 cts. each, \$3 per doz.

\*carpatica (Carpathian Bellflower). Light blue. July-Aug.

\*carpatica alba. White. 6 in. July-Aug.

glomerata superba (Showy Cluster Bellflower). Clusters of deepest blue. 1½ ft. June-July. 30 cts. each.

x lactiflora (Milky Bellflower). Bluish white. Sold out for season.

latifolia macrantha (Royal Bellflower). Purple, June-July.

(Canterbury Bells). Blue, Rose, and White, Medium (Car 2 ft. June.

Medium calycanthema (Cup-and-Saucer Bellflower). In Blue, Lilac, Rose, and White. 2 ft. June.

persicifolia (Peachleaf Bellflower). Blue. 2 ft. July.

persicifolia fl. plena. Double peach-leaved campanula.
Blue. 2 ft. June-July. 40 cts. each.
persicifolia alba. White. 2 ft. June-July.
persicifolia Moerheimi. White; double. 60 cts. each.

June-July.

\*Portenschlagiana (Dalmatian Bellflower). Dark blue. 5 in. May-June. 50 cts. each. punctata (nobilis). (Spotted Bellflower). Spotted purplish rose; distinct. 30 cts. each. 2 ft. June-July. \*rotundifolia (Harebell). Blue. 1 ft. June-Aug.

**VNAS.** We offer only the best varieties and the most desirable colors. Prices according to the variety. CANNAS.

CAREX. Ordinary soil in semi-shade. \*Morrowi foliis variegatis. Yellow variegated foliage.

CARYOPTERIS. Ordinary soil in sun. cana (mastacanthus).
3-1 ft. Sept.-Oct (Bluebeard), Lavender-blue. incana Sept.-Oct. 50 ets. each.

CATANANCHE. Ordinary soil in sun.
caerulea (Blue Cupid's Dart). 2 ft. June-Aug.
caerulea bicolor. White and blue. 2 ft. June-Aug.

Ordinary soil in sun. CENTAUREA.

Clementei (Spanish Centaurea). Plant densely white and woolly. 3 ft. woolly. macrocephala (Globe Centaurea). Rose. 1½ ft. July-Aug. macrocephala (Globe Centaurea). Yellow. 3 ft. July-Aug.

CENTAUREA (Cont'd.)

montana (Mountain Bluet). Violet-blue. 2 ft. Sept.

montana alba. White. 2 ft. June-Sept. montana rosea (Rose Centaurea). Rose. 1½ ft. June-Sept.

CENTRANTHUS. Ordinary soil in sun. ruber (Jupiter's Beard). Crimson. 3 ft. June-July. ruber albus. White. 3 ft. June-July.

CEPHALARIA. Ordinary soil in sun. alpina. Delicate sulphur-yellow. 5 ft. June-July.

\*tomentosum (Snow-in-Summer). CERASTIUM. White. 6 in. May-

CERATOSTIGMA. Ordinary soil in sun.
\*plumbaginoides (Larpente Plumbago). Deep blue. 6-8 in. Aug.-Sept.

CHIERANTHUS. Well drained soil in sun. \*allioni (Wallflower). Orange shade. 1 ft. June-July.

Ordinary soil in sun. CHELONE. glabra (Turtlehead). Reddish flowers. 2-3 ft. Aug.-Sept. Lyoni Hybrids. Many shades. 2-3 ft. Aug.-Sept.

CHIVES (Herb). Used in the kitchen.

Rich soil in sun. CHRYSANTHEMUM.

arcticum (Arctic Chrysanthemum). 1-11/2 ft. Sept.-Oct. Late fall; white.

arcticum roseum (Pink Arctic Chrysanthemum). 1-1½ ft. Sept.-Oct. balsamita (Tanacetum balsamita). (Costmary).

balsamita). (Costmary). grant leaves. 2-3 ft.

coccineum roseum (Pyrethrum roseum). (Painted Lady). Showy blooms. 2½ ft. May-June.
maximum, Alaska. Called Shasta Daisy. White. 2 ft.
July-Sept.

July-Sept.

mipponicum (Nippon Ox-eye Daisy). White. Single.

uliginosum (Pyrethrum uliginosum). (Giant Daisy).

White daisy with yellow center. 4-5 ft. Aug.-Sept.

indicum (japonicum). (Mother Chrysanthemum). Only
the best hardy varieties, distinctive in color, grown:

Alice Howell. Orange. 3 ft. Oct.

Brown Bessie. Pompon. Bronze-red. 2 ft. Oct.

Idolf. Salmon-pink. 2 ft. Sept.-Oct.

Lillian Doty. Pompon. Shell-pink; early. 3 ft. Oct.

Maduse. Terra-cotta. 2½-3 ft. Oct.

Maid of Kent. Pompon. White, later becoming pinkish. 2½-3 ft. Oct.

ish. 2½-3 ft. Oct.

Mrs. H. Harrison. Pompon. Pink. 3 ft. C.
Normandie. Delicate pink. 1½ ft. Sept.
October Gold. Orange-yellow. 2 ft. Oct.
Ruth Cummings. Reddish bronze. 2½ ft.
Skibo. Pompon. Old-gold-yellow. 1-2 ft.
Tints of Gold. Yellow. 1-2 ft. Sept. Sept.-Oct. Yellow Normandie. 21/2-3 ft. Oct.

CIMICIFUGA. Acid soil in shade. foetida simplex (Bugbane). Late-blooming; white spikes. 2-3 feet. July. 50 cts. each, \$5 per doz. racemosa (Cohosh Bugbane). Creamy white. 4-6 ft. July-Sept. 35 cts. each.

CLEMATIS. Ordinary soil in sun. heracleaefolia Davidiana (Tube Clematis). Lave blue. 3 ft. Aug.-Sept. 50 cts. each. integrifolia. Showy blue. 2 ft. July. 50 cts. each. paniculata (Sweet Autumn Clematis). White, frag flowers. A climbing vine. 50 cts. and \$1 each. fragrant

CODONOPSIS. Well drained soil in sun.

\*(Glossocomia) clematidaca. Light blue. 1 ft. 50 cts. each.

CONVALLARIA.

**DNVALLARIA.** Moist soil in light shade, \*majalis (Lily-of-the-Valley). White, wax-like-drooping blooms. 9 inches. May-June.

COREOPSIS. Ordinary soil in sun. lanceolata (Tickseed). Golden yellow. 2 ft. June-Oct. verticillata (Threadleaf Coreopsis). Small, yellow flowers. 2 ft. July-Aug.

CORONILLA.

ORONILLA. Ordinary soil in sun. varia (Crown Vetch). Bright pink. 1-2 ft. June-Oct.

CYCLAMEN. Leafmold soil in shade

\*Neapolitanum (hederaefolium). Red. 6 in. Sept.-Oct. 50 cts. each.

CYNANCHUM.

YNANCHUM. Ordinary soil in sun. acuminatifolium (Mosquito Trap). White. 15 ins. June.

Good roots 25 ets. up, according to the variety. DAHLIA.

DAPHNE.

PHNE. Moderately rich soil in light shade. Cneorum (Garland Flower). Sweet-scented; bright pink flowers in May, scattering bloom all summer. A splen-did rock garden shrub. \$1, \$2, and \$3 each and up.

DELPHINIUM. Rich soil in sun.
English Hybrids. Choicest single and double.
June-Sept. 50 cts. and \$1 each.
formosum, Belladonna. Sky-blue. 3 ft. June-

3 ft. June-Oct. Dwarf; blue. 2 ft. grandiflorum (Siberian Larkspur). June-Oct

grandiflorum album. White. 2 ft. June-Oct. x Moerheimi. Best white. Sold out for season. Wrexham Hybrids. A superb variety in many choice shades. Each, \$1.00; Doz. \$10.00.

DESMODIUM. Well drained soil in sun. penduliforum (Pea Shrub; Tick Clover). Rose-purple. Aug.-Oct. 50 ets. and \$1 each.

DIANTHUS.

\*\*Carthusianon\*\*

\*\*January Tick (Clover). Rose-purple.

May-July. 35 cts. ea. \*carthusianorum (Carthusian Pink). Red. 15 in. June-

July. 30 ets. each. \*deltoides (Maiden Pink). hybridum, Wienna. Perf Small; pink. 6 in. June-July. Perfectly hardy Carnation. 112 ft. July 1 1/2 ft.

Double; dark crimson.

July.
x Napoleon III. Double; dark
50 cts. each. Sold out.
plumarius (Grass Pink). Brill
fragrant. I ft. May-June.
plumarius, Rose de May. Dou
June. 35 cts. each.
White Reserve. White; double. Brilliant color combination:

Double; pink. 1 ft.

112 ft. June-July. cts. each.

**DICENTRA.** Ordinary soil in sun or l \*eximia (Fringed Bleeding-Heart). soil in sun or light shade. Rose.

All summer \*spectabilis (Bleeding-Heart). Heart-shaped pink flowers. May-July. \$1 each. 1-2 ft.

DICTAMNUS.

ICTAMNUS. Ordinary soil in sun, Fraxinella (Gas Plant.) Rose-pink. 50 cts. and \$1 each. fraxinella alba. White. 3 ft. Jun 2-3 ft. June-July.

50 cts. and \$1 fraxinella alba. June-July. 50 ets. and \$1 each.

DIGITALIS. Moderately rich soil in sun. ambigua (Yellow Foxglove). Pale yellow. 2-3 ft. June-Jul White, Rose, Lilae, and Purple.

purpurea, Mixed. ft. June-July.

DORONICUM. Ordinary soil in sun.
caucasicum (Caucasian Leopard's Bané). Bright yellow.
2 ft. May-June. 30 cts. each.
magnificum (Sunflower Leopard Bane). 3 ft. May-June.
35 cts. each.

plantagineum excelsum. Brightest yellow. 2 ft. April-

DRABA.

May. 30 cts. each.

ABA. Well drained soil in sun.

Verna (Whitlow Grass). Arabis-like white flowers. \*verna (Whitlow in. April-May.



DORONICUM

ECHINACEA. Rich soil in sun. purpurea (Hedge-hog Coneflower). Reddish purple. 3-4 ft. July-Aug.

ECHINOPS. CHINOPS. Ordinary soil in sun. humilis (Globe Thistle). Low; light blue. 3 ft. July-

Aug.
Ritro (Steel Globe Thistle). Metallic blue. 3-4 ft. Aug.

**ELSHOLTZIA.** Ordinary soil in sun. **Stauntoni.** Lilac-rose flowers. Foliage has a delightful aromatic fragrance. 50 cts. each. Large size, each \$1.00.

canus. Ordinary soil in sun.
canadensis glaucifolius (Wild Rye). Narrow, glaucous
foliage. 3 ft. 35 cts. each. ELYMUS.

EPIMEDIUM. Woodland soil in shade.

\*macranthum niveum (Barrenwort). June. 35 cts. each. June. 35 cts. each. \*macranthum roseum. Red. 9 in. May-June. 30c ea. \*sulphureum. Pale yellow. 9 in. April-June. 35 cts. ea.

ERIANTHUS. Well drained soil in sun.
Ravennae (Ravenna Grass). Resem
Grass. 5-7 ft. 50 cts. each. Resembles the Pampas

ERIGERON. Ordinary soil in sun.
\*alpinus (Fleabane). Purple-blue. 9 in. June-July. 30 Ordinary soil in sun. cts. each.

\*aurantiacus. Orange. A showy plant. 9 in. July-Aug. speciosus grandiflorus (Oregon Fleabane). Dark lilac. 2½ ft. June-July.

RODIUM. Well drained soil in sun. \*Manescavi (Heron's Bill). Purplish red. 12 in. July. ERODIUM. 30 cts. each.

ERYNGIUM. Ordinary soil in sun or semi-shade, amethystinum (Amethyst Eryngo). Amethystine blue. 3-4 ft. June-Sept. \*Bourgati. Distinct dwarf blue. 15 in. June-Aug. 40

each planum. Blue. 2 ft. July-Sept.

ERYSIMUM. Dry soil in sun.
\*pulchellum (Blister Cress). Bright yellow. 4-6 in.

June-July.
\*rupestre (Asiatic Blister Cress). Deep orange. 8 in. May-June. 30 cts. each.

EUONYMUS.

UONYMUS. Ordinary soil in sun or light shade. colorata (Red leaved Euonymus). Summer dark green, winter changing to bronze-red. 35c. radicans (Winter Creeper). Vine. Dull green leaves.

radicans (Winter 35 ets. each. radicans argenteo-variegata. Variegated foliage.

and \$1 each.
radicans kewensis (Baby Wintercreeper). 50 cts, each.
radicans vegetus. Glossy foliage. 50 cts, each.

EUPATORIUM. Ordinary soil in sun.
coelestinum (Mist Flower). Light blue. Good for cutting. 2 ft. Aug.-Oct.
urticaefolium (ageratoides). (Sport 79) urticaefolium

White, 4 ft. July- Vin.

EUPHORBIA. Ordinary soil in sun.
corollata (Flowering Spurge). Not unlike gypsophila;
small white flowers with green eye. 2-3 ft. July.
epithymoides (polychroma). (Cushion Spurge). Chromeyellow. 2 ft. April-May. 50 cts. each.

ESTUCA. Ordinary soil in sun. \*glauca (Fescue Grass). Glaucous green. 9-12 in.

FILIPENDULA.

ILIPENDULA. Ordinary soil in sun.
hexapetala flore-pleno (Double Dropwort). White, 132
ft. May-June. palmata (Siberian Meadowsweet). Pink. 2 ft.

July. bra venusta (Carmine Meadowsweet). 4 ft. rubra

35 cts. each.
Ulmaria flore-pleno
White. 4-5 ft. Ju (Double European Meadowsweet). 4-5 ft. July-Aug.

GAILLARDIA.

AILLARDIA. Moderately rich in sun, aristata (grandiflora). (Blanket Flower). Mixed colors. All summe

ALEGA. Ordinary soil in sun. officinalis (Goat's Rue). White, 3-4 ft, July. GALEGA.

GALTONIA.

Ordinary soil in sun. (Summer Hyacinth) candicans (Summer Hyacinth). Bell-shaped w flowers. 3 ft. Aug.-Sept. 20 cts. each, \$2 per doz. white

**GAULTHERIA.** Acid soil in shade.

\*procumbens (Wintergreen). Evergreen. White flowers, followed by red berries. 3-6 in. May-June. 35 cts. each.

GAURA. Lindheimeri.

Ordinary soil in sun. meri. White, butterfly-like flowers. 3 ft. June to fall.

GENTIANA.

ENTIANA. Gritty peaty soil in sun or light shade.
\*acaulis (Stemless Gentian). Blue. \$1 each.
Andrewsi (Closed Gentian). Deep blue. 30 cts. each.
1-2 ft. Aug.-Sept.
\*cruciata (Cross Gentian). Dark blue. \$1 each.
\*Freymiana (Freyman's Gentian). Dark blue. \$1 each.
\*septemfida cordifolia. Blue. \$1 each.
\*walujewi (Walujew's Gentian). White, dotted with blue.
15 in. 60 cts. each.

GERANIUM. Well drained soil in sun.
nepalense. Deep pink. Large flowers. 1½ ft.
\*sanguineum. Bright crimson. 2 ft. May-Aug.
\*—album (Crane's Bill). White. 1 ft. May-July.
\*—lancastriensis. Light pink. 6 in. July-Aug. 30 cts.

each.

GERBERA. Ordinary soil in sun.
 Jamesoni (Transvaal Daisy). Beautiful colors of rich texture. 2½ ft. Aug.-Sept. 75 cts. each. Protection.

texture. 2<sup>1</sup>2 <sup>1</sup>1. Osc. **GEUM.** Ordinary soil in sun.
atrosanguineum (Avens). Blood-red. 1-2 ft. May-June.
bulgaricum (Bulgarian Avens). Showy red-orange. 1 ft.
July-Aug. 30 cts. each.
chiloense, Wrs. Bradshaw. Orange-red; half-double. 2 ft.
June-Sept. 35 cts. each. \$3.50 per doz.
Heldreichi, Orange. 1<sup>1</sup>2 ft. May-July.
Lady Stratheden. New. Double; yellow. 2 ft. June-

GILLENIA. Ordinary soil in sun, trifoliata (Bowman's Root). White, tinged pink. May-July. 35c each,

GLADIOLUS. 40 cts. per doz. and up, according to variety and size of bulbs.

GLAUCIUM Fisheri (Horned Poppy). Yellow. 2 ft. Summer. White foliage, attractive, distinct. 30 cts. each.

GLOBULARIA. Ordinary soil in sun.
\*trichosantha (Globe Daisy). Blue flowers in globular heads. 6 in. May-June. 30 cts. each.

GRASSES. ASSES. For the collection see general arrangement in alphabetical order.

Ordinary soil in sun. GYPSOPHILA.

paniculata (Baby's Breath). Plant of gauze-like appearance. 2-3 ft. June-July.
paniculata flore-pleno. Little, double rosette-like flowers.

ance. 2-3 ft. June-July.
paniculata flore-pleno. Little, double rosette-like ft.
2-3 ft. July-Aug. \$1 each.
Rokejeka. Pink. July-Aug. 3 ft. 30 cts. each.
paniculata flore-pleno, Bristol Fairy. White;
double. Very choice. \$1.00 each.
Ehrlei. White, extra double, blooms all season. extra

\$1.00 each.
\$1.00 each.
Trepens (Creeping Baby's Breath). White. 6 in. June-July. 30 cts. each.

HEDERA.

**EDERA.** Cool soil in semi-shade. helix (English Ivy). Effective f Effective for covering walls, etc. 25 cts. up, according to sizes.

**HELENIUM.** Ordinary soi autumnale (Sneezeweed). Ordinary soil in sun. Sneezeweed). Golden yellow. 4-6 ft. Aug.-Sept.

autumnale rubrum. Terra-cotta. 4 ft. Aug.-Sept. Bolanderi. Yellow, dark disk. 2½-3 ft. July-Sept. cts. each.

Orange-yellow. Hoopesi. 3 ft. May-Aug.

HELIANTHEMUM. Well drained soil in sun.
\*Chamaecistus grandiflorum (Sun Rose). Single and double flowers, in white, pink, red, and yellow. 6-8 in. June-July. 30 cts. each.

HELIANTHUS. Ordinary soil in sun.

Miss Mellish (Sunflower). Rich yellow. 6 ft. S
multiflorus flore-pleno. Double; yellow with Sept. with shorts flore-pleno. Double; yellow with sheen. 4-5 ft. Aug.-Sept. orange orgyalis.

Sept. Soleil d'Or. 4-5 ft. Golden yellow. Aug.-Sept.

HELIOPSIS.

ELIOPSIS. Ordinary soil in sun.
helianthoides Pitcheriana (Pitcher Heliopsis).
yellow. 3-4 ft. July-Sept.

Yellow. 3-4 ft. July-Sept.

Heliopsis). Sem. July-Sept. a (Zinnia abra zinniaeflora (Zinnia yellow. 2-3 ft. July-Sept. Heliopsis). scabra Semi-double:

Rich soil in semi-shade. nas Rose). White; leaves evergreen. 1 ft. HELLEBORUS. \*niger (Christmas Rose). Feb.-March. \$1 each.

**HEMEROCALLIS.** Ordinary soil in sun. flava (Lemon Day Lily). Lemon-yellow; fragrant.

May.

May.

fulva (Tawny Day Lily). For naturalizing. 2-3 ft. July.

fulva Kwanso flore-pleno. Orange-red; semi-double. 2-3

fulva Kwanso nore-prend.
ft. July-Aug.
ft. July-Aug.
luteola (Golden Day Lily). Yellow. 4 ft. July.
Middendorffi. Golden yellow. 2-3 ft. June-July.
Orange Man. Good. 2-3 ft. July.
Thumbergi. Yellow. 3 ft. Summer.
Area of above 30 cts. each

Any of above 30 cts. each

HEPATICA. Acid soil in shade. \*triloba (Roundlobe Hepatica).
May. 30 cts. each. Light blue. 6 in. April-

**HESPERIS.** Ordinary soil in sun. matronalis (Dame's Rocket). White or pink. 2-3 ft. June-July.

EUCHERA. Ordinary soil in sun. americana (American Alum Root). Foliage ornamental. HEUCHERA.

1½-2 ft. July. brizoides (Pinkbells). \*sanguinea (Coralbells). Carmine-rose. 1½ ft. June-Aug. Sept. 30 cts. each. \*sanguinea alba. Creamy white. 15 in. June-Sept.

HIBISCUS. Ordinary soil in sun or light shade.
grandiflorus (Great Rose Mallow). Shades of white, pink,
red, and crimson. 4-6 ft. Aug.-Sept.
Moscheutos (Common Rose Mallow). Light rose. 5-6 Aug.-Sept. ft.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

HOSTA

OSTA (Funkia). Ordinary soil in sun. caerulea (Blue Plaintain Lily). Light blue. Leaves have bluish sheen. 1-2 ft. July-Aug. Fortunei. Flowers mauve; metallic blue foliage. 1 ft.

Fortunei. Flowers madder, and July-Aug lancifolia. Lilac; narrow green leaves. 2 ft. Aug. —albo-marginata. Leaves margined white. 1-2 ft. —aureo-maculata. Yellow marking. 1-2 ft. —undulata. White-and-green variegated foliage. 1-2 ft. plantaginea (White Plaintain Lily). White, scented flowers. 2 ft. 30 cts. each, §3 per doz.

HYDRANGEA. Ordinary soil in sun.
hortensis. Different sizes in the best varieties, 50 cts. to
\$5 each, and higher, according to size.

**YPERICUM.** Well drained soil in sun. **Moserianum** (Gold Flower). Golden yellow. 1<sup>1</sup>/<sub>2</sub> ft.

June-Sept. 50 cents and \$1 each.

Ordinary soil in sun.

HYSSOPUS. Ordinary officinalis (Hyssop).

1-9 ft. June-Aug. Ros Low green bush; scented leaves. officinalis rosea. Rose-pink. 1-2 ft. June-Aug.

HYPERICUM.

IBERIS. Ordinary soil in sun.
\*gibraltarica (Gibraltar Candytuft). Delicate lilac. 1 ft.

\*gibraltarica, 30 cts. each. Snowball. Big; white. 1 ft. May-June.

\*sempervirens. Pure white. 10 in. April-May.

Rich soil in semi-shade. INCARVILLEA.

Delavari (Hardy Gloxinia). Rose-color. 1½ ft. June. 40 cts. each, \$4 per doz. grandiflora. Deeper pink than above. 1 ft. June. 40

grandiflora. Deeper pi cts. each, \$4 per doz.

INTLA

VULA. Ordinary soil in sun.
\*ensifolia (Swordleaf Inula). Yellow. 8 in. July.
\*Royleana (Blackbud Inula). Showy; orange-yellow.
Rare and choice. 15 in. July. 35 cts. each, \$3.50 per doz.

## IRIS GERMANICA

(Germanica or Flag Iris)

Our collection of over 50 varieties contains the most attractive and interesting Irises that flower in May and

Named varieties, 25 cts. each, \$2.50 per doz.;

Mixed, \$1.50 per doz. except where otherwise noted. S., standards; F., falls.

Admiral Togo. S. v ple. 30 cts. each. Albert Victor. S. white; F. and S. lightly bordered pur-

S. soft blue; F. soft lavender. 30 cts. each.

Alcazar. light bluish violet; F. purple with bronze.

Alcazar. S. light bluish violet, 1. 1922.
To cts. each.
Archeveque. Deep violet-purple. 60 cts. each.
Asiatica Trojana. S. pale blue; F. violet. 30 cts. each.
Aufernich. F. dark, smoky reddish purple.
Caprice. Rosy red. 30 cts. each.
Celestine. Clear pale blue.
Cherion. Lilac-mauve.
Comte de Claire. Deep violet, margined white.
C. Wedge. S. gray; F. plum, edged with white. 30 cts. each. C. Wedge. S. S. C. each. Pairy. S. and F. white. 30 cts. each. Flavescens. Pale yellow. Gertrude. Violet-blue. 40 cts. each. Honorabile. S. golden yellow; F. mahogany-brown. Isoline. S. silvery lilac; F. mauve. 40 cts. each. Johan de Witte (Amabilis.) S. Pale lilac; F. ve

auve. 40 ets. cach. S. Pale lilac; F. velvety

orimson. Clear blue; fragrant. 40 cts. each.

La Tendresse. Delicate lavender and lilac. 30 cts. each.

Lohengrin. Delicate lavender and lilac.

Lord Salisbury. S. amber-white; F. dark violet-purple.

cts. each

Loreley. S. light yellow: F. ultramarine-blue. each.

IRIS (Cont'd.)

**Loyalty.** Lavender-purple. 40 cts. each. **Mandraliscae.** Rich lavender-purple. 30 cts. each.

Mandraliscae. Rich lavender-purple. 30 cts. each. Minnehaha. Cream-white. 75 cts. each. Mme. Chereau. Pure white. 50 cts. each. Monsignor. S. violet; F. purple-crimson. 40 cts. each. Mindelungen. S. olive-green; F. yellow, purple, and white. Pallida Dalmatica. Lavender, 30 cts. each. Pallida odoratissima (speciosa). S. and F. dark lavender. 30 cts. each.

Parisiensis. Fine blue. 30 cts. each. Perfection. Light blue. 60 cts. each.

Property. Light lavender, yellow markings.

Prestige. Light lavender. 40 cts. each.

Princess Victoria Louise. S. yellow; F. violet-red. 40 cts. each.

Purple King. Deep purple. 30 cts. each.

Quaker Lady. S. smoky lavender; F. blue and gold. cts. each.

Queen Alexandra. S. fawn; lilac, with bronze. each.

Queen of May. Soft rosy, almost pink.

Radiance. S. silvery mauve; F. velvety purple. 40 cts. each.

Rhein Nixe. S. pure white; F. deep blue. 50 cts. each. Sambucina. Rich purple. Early.

Sambucina. Rich purple. Early. Spectabile. S. and F. deep purple.

Sherwin-Wright. Golden yellow. 40 cts. each.

The Bride. White, shaded lilac.
Trautlieb. Pinkish. 30 cts. each.
White Knight. Clear white. \$1 each.
Wyomissing. S. bluish-white; F. deeper, to flesh. 75 cts. each.

\*Iris pumila formosa. Royal blue and purple.
 \*Bride. Large; white. 30 cts. each.
 \*Jutea. Yellow.

## **JAPANESE IRISES** IRIS KAEMPFERI

Gorgeous Iris which embrace a host of delightful shades and help to prolong the Iris season. They follow the German iris in the period of bloom.

Our collection consists of nearly 100 named varieties, including many of the most valuable ones.

35 cts. each, \$3.50 per doz., except where otherwise noted. Airship. Double, Sky blue, white veined. 75c each. Agnes Reed. Dark violet with light shadings. 50 cts.

each. Amethyst. Exquisite lavender shade. \$1 each.

Apollo. White, with pink center. 50 cts. each.

Azure. Mauve-blue. 60 cts. each.

Bandai-no-Nami. White. 50 cts. each.
Bashu-no-Ten. Gray, veined blue. 75 cts. each.
Betty Jean Childs. White, splashed with purple. 50 cts. Betty Jean Childs. each.

Blue Danube. True-blue. \$1.00 each.

Blue Flag. Indigo-blue.

Maroon, veined white.

Bride. Maroon, veined white. 50 cts. each.

Catherine Parry. Indigo blue, prettily marked. 60 cts. each.

Cilia. Double. Pink, spotted and sprinkled. 60 cts. each. Clarice Childs. Violetered. 50 cts. each.

x Child's Beauty. Creamy yellow. Sold out.

Choseiden. Light purple.

Daisy Herrington, 3 petals, light lavender. 60 cts. each.

Datedogu. Violet-purple. 40 cts. each.

Doris Childs. 6 petals, pearl white, veined rosy-plum. Doris Childs. 60 cts. each.

Dominator. Indigo-blue. 60 cts. each. Eleanor Farry. 6 petals, claret red. 75 cts. each. Fascination. Lavender. 75 cts. each. Fanny Hamlet Childs. 6 petals, violet purple, mottled white. 50 cts. each.

#### JAPANESE IRISES (Cont'd)

Frances E. Cleveland. 6 petals, large pearl color. 75 ets. each.

Double. White, often lavender sheen. Gekka-no-Nami.

60 cts. each.

Gold Bound. Pure white. 50 cts. each.

Gomo-no-Umi. Double. Clear white. 40 cts. each. Granite. White, penciled and veined with rose-purple. Granite.

50 cts. each. Gypsy. Deep pink. \$1 each.

Hano-no-Mio. Mahogany-red; late. 40 cts. each.

Ho-o-jo. Purple, mottled.

Hosogawa. Purple with white veinings. Helen von Siebold. Reddish, veined white

Helen Wells. Single. Amethyst-violet. Indo. Dark blue. 60 cts. each. -\$1 each.

Iso-no-Nami. Soft blue, sprinkled with layender. 75 cts. each. Jeanette Parry. 3 petals, white with bluish violet lines.

50 cts. each. 3 petals. Deep blue, with purplish

Josephine Haywood. 3 petals. Deep blu sheen. 50 cts. each. Kagarabi. Single. Deep mahogany-red. 50 ets. each.

Koki-no-Iro. Purple.

Koki-no-Iro. Purple.

Kokirin. White, heavily veined. Late. 40 cts. each.

Komata. Sky-blue, veined and splashed white.

Kumo-no-Obi. Lavender, white lines.

Kumo-no-Shi. White, edged reddish purple.

Kumo-no-Ue. Blue-lavender, light sheen.

Lavender Queen. Single. Lavender. 75 cts. each.

Mahogany. Mahogany-red. 50 cts. each.

Margaret S. Hendrickson. 9 petals. Soft bluish from white center. \$1 each.

Momiji-no-Taki. Silvery gray, splashed purplish rose.

\$1 each. acen.
 Moro-no-Suki. White with purplish sheen. 50 cts. cach.
 Mt. Fell. Double. White veined. Late. 75 cts. each.
 Mt. Hood. Double. Purple with blue, toward center orange. 75 cts. each.
 Nagarno. Violet-purple.
 Nayarne. Purplish blue pointed death.

Purplish | \$1.50 each. blue, Navarre. veined darker, white edge. Showy.

Mahogany-red. Single.

Neptune. Single. Mahogany-red.
Nightfall. Single. Deep black-blue. Wavy. \$1.50 each.
Norma. Exquisite silky lavender-pink. 75 ets. each.
Old Rose. A self-color of old rose. 60 ets. each.
Ojino Hotaru. Enormous, bright purple flowers with white sheen; extra fine. Latest. \$1 each.
Orion. White with broad border of old-rose.
Osho-Kun. Tyrian-blue.
Oyado. Darkest parage.

Oyado. Darkest Painted Lady. \ st maroon. Low-growing. 50 cts. each. White, suffused and veined pink. 75 cts.

Pink Progress. Ashy gray-lavender. 75 cts. each. Porcelain Sceptre. White, suffused blue, center pink. ects. each.

rince C. de Rohan. Deepest dark purple. 50 c Purple and Gold. Violet-purple. Pyramid. Violet-purple, veined white. Red Riding Hood. Reddish, wavy. 60 cts. each. Rinho. Double. Purple.

Rose H. Scheepers. 6 petals. Mauve gray, with darker shadings. 75 cts. each. Sano Watashi. Double. White. 40 cts. each. Seco-no-Nami. Single. Reddish purple, sprinkled white.

Secono-Nami. Single. Reddish purple, sprinkled white. Very early.
Shadow. Reddish purple. 50 cts. each.
Shimoyo-no-Tsuki. White, speckled violet.
Shirataki. Silvery white. Late. 40 cts. each.
Shiunryo. Grayish white.
Shokko-Nishiki. Lilac on white. 40 cts. each.
Shufu-Ruku. Phikish; showy coloring. 75 cts. each.
Spotted Beauty. White, spotted with rose-lilac. 60 cts. each.

Taiheiraku. Double. Vinous purple.

Templeton. Light violet, mottled pink and white.

cts. each Tsuru-no-Kegoromo. White, 50 cts. e T.S. Ware. Deep garnet, veined white. Turban. Blue and white. 60 cts. each. JAPANESE IRISES (Cont'd.)

Uchin. Double. Aniline-blue, veined white. 75 cts. ea. Vase Banri. White, veined blue; blue standards, edged. Velvet. Velvety mahogany. 60 cts. each. Victor. White, veined purple, pink center. 60 cts. each. Violet Herrington. 6 petals. Violet, white sheen, tufted

6 petals. . \$1 each. center, beautiful.

center, beautiful. \$1 each. Yedo-Jiman. Royal blue. 75 cts. each. Yomo-zakura. Pale lavender with rosy markings. 75 cts. each.

White shaded purple. Zamo-no-Mori. \$1 each.

IRIS, Various. germanica foliis varios Flowers light lavender. variegatis. White-vender. 75 cts. each. White-striped foliage.

sbirica. Rich sibirica alba. Rich blue. White.

ISATIS. Ordinary soll in sun or light shade. glauca (Dyer's Woad). Yellow. 6 ft. June-Ji KNIPHOFIA (Tritoma). Ordinary soil in sun. mirabilis albida (Torch Lily). Cream-white. shade. t. June-July.

each.

Pfitzeri (Everblooming Flame Flower). Red and yellow. 2-3 ft. Aug.-Oct. 40 cts. each, \$4 per doz.

Express. Early-flowering; light yellow, later redish. 4 to 5 ft. June. 40 cts. each.

Uvaria (aloides). (Red-hot Poker). Bright red and yellow. 3½ ft. Sept.-Oct. Late. 30 cts. each. \$3

Poker). Bright 30 cts. 3½ ft. per doz. 3-4 ft. Early June.

Tucki. Lig Light orange yellow.

LAMIUM.

Sandy soil in light shade. um. A tufty, low plant with variegated foliage. \*maculatum. 30 cts. each. 30 cts. each. \*Maculatum Album. Flowers white. 30 cts. each.

LATHYRUS. Ordinary soil in sun. latifolius (Everlasting Pea). Ros—albus. White. Climber. Rose. Climber.

LAVENDULA. Light soil in sun or semi-shade. vera (Lavender). Aromatic foliage. Lave (Lavender). Aromatic foliage. Lavender blue wers. 1½ ft. July-Sept. (Munstead Strain). Bushy, heavy summer bloomer. flowers.

Vera 1 ft. 40 cts. each.

LEONTOPODIUM. Well drained soil in sun. \*sibiricum. White, large. 6 in. June-July. LIATRIS. Ordinary soil in sun.

pycnostachya (Gayfeather). Light purple. 4-5 ft. July-

IGULARIA (Senecio). Ordinary soil in light shade. clivorum, Orange Queen. Orange. 4 ft. June-Aug LIGULARIA June-Aug.

Wilsoniana. Yellow to orange. 4 ft. July-Aug. each.

## HARDY LILIES

auratum macranthum (Gold Banded Lily). You on white; spotted. 3-4 ft. 50c and 75c each. Yellow ray

Batemanniae (Batemann Lily). July-Aug. 50 cts. Clear apricot. ft.

July-Aug. 50 cts.
canadense (Canadian Lily). Rich orange, spott
July. 2 ft. 40 cts. each.
candidum (Madonna Lily). White. Fragrant a
2-3 ft. June-July. 60 cts. each, \$6 per doz.
Hansoni. Orange yellow. 3 ft. \$1.00 each.
Henryi. Golden yellow. 4-5 ft. June-July. \$ Rich orange, spotted. June-

Fragrant and hardy.

June-July. \$1.00 each. pardalinum (Panther-lily). Orange, spotted crimson. 50 cts. each.

regale (myriophyllum). (Royal Lily). Fragrant; white, canary-yellow at the center. 1-2 ft. June-July. canary-yellow at t 60 cts. to \$1.00 each.

speciosum rubrum. White, spotted wi 2 ft. Aug.-Sept. 40 cts. each and up. with rosy crimson.

Orange red, spotted purple. superbum. 2½ ft. 40 cts. each.

tigrinum (Tiger Lily). Orange, spotted purplish black. 3-4 ft. July-Aug. tigrinum fl. plena. 30 cts. each.

LIMONIUM. Ordinary soil in sun.
latifolium (Bigleaf Sea Lavender). Candelabra-like panicles of minute, purplish flowers. 2 ft. July-Sept.

INARIA. Ordinary soil in sun or semi-shade. \*Cymbalaria (Kenilworth Ivy). Pinkish lilac. LINARIA. June-Aug.

July-Sept. 35 cts. each. Yellow. 4 ft. macedonica.

LINUM. Ordinary soil in sun. flavum (Golden Flax). Yellow. 1 ft. June-July. 30 cts. each

perenne (Perennial Flax). Blue, 1½ ft. perenne album. White, 1½ ft. May-Aug. May-Aug.

LITHOSPERMUM. Well drained soil in sun or light shade. x\*prostratum (Heavenly Blue). A prostrate plant with gentian blue flowers all summer. 75 cts. each.

LOBELIA

OBELIA. Moist soil in semi-shade. cardinalis (Cardinal Flower). Cardinal-red. 3 ft. July-Aug.

siphilitica (Large Blue Lobelia). Blue. 3 ft. Sept.

LUNARIA.

Ordinary soil in sun. iennis) (Honesty). Sweet-scented; purplish. annua (biennis) (I 2½ ft. June-July. Sandy soil in light shade or sun.

"S (Washington Lupine), Blue. LUPINUS.

June-

polyphyllus (Washington Lupine). 3 ft. July

albiflorus. White. 3 ft. June-July. 30 cts. each.
—Moerheimi (Pink Lupine). Light and dark rose.
June-July. 35 cts. each, \$3.50 per doz.
Harkness Hybrids. Assorted colors. 3 ft. June 3 ft.

June-July. 30 cts. each.

LYCHNIS. Ordinary soil in sun.
chalcedonia (Maltese Cross). Scarlet 2 ft. June-July.
coronaria (Agrostemma coronaria.) (Mullein Pink).
Silver foliage; crimson flowers. 2 ft. June-July.
Flos-cuculi (Ragged Robin). Pink. 1-2 ft. May-Aug.
Haageana. Orange-scarlet and other shades. 1 ft. May-

.June

Viscaria splendens flore-pleno (Double Rose-Pink Campion). Double; crimson. 1 ft. May-June.

LYCORIS.

YCORIS. Ordinary soil in sun.
squamigera (Amaryllis Halli). (Hardy Cluster Ama
iis). Lily-shaped, delicate lilac-pink flowers. 2 sun. (Hardy Cluster Amaryl-July. \$1 each.

LYSIMACHIA. Ordinary soil in sun. barystachys (Loosestrife). White: 15 in. Aug. punctata (Spotted Loosestrife). Yellow. 2-3 ft. Aug.

YTHRUM. Ordinary soil in sun. Salicaria roseum (Rose Loosestrife). Rose. 2-3 ft. July-LYTHRUM. Aug.

MALVA. Ordinary soil in sun.
crispa (Early Mallow). Pink and white. 4 ft.
July.

moschata (Musk M 4-5 ft. June-Sept. Mallow). Sweet-scented; rose-pink.

MATRICARIA. Ordinary soil in sun. eximea plena (Golden Ball). Yellow; double. inodora flore-pleno (Scentless False Chamomile). Double white. 2 ft. June-Sept.

MECONOPSIS. Rich soil in semi-shade. cambrica (Welsh Poppy). Yellow. 1 ft. June-Aug. 60 cts. each.

MENTHA. Orumenta (Mint).

ordinary soil in sun. Mint). Used in the kitchen. ''a (Annle mint). Very strong grower rotundifolia (Apple mint).

MERTENSIA.

Leaf mold soil in shade. luebells). Changeable blue. virginica (Bluebells).

June. 30 cts. each. 112 ft. May-

ISCANTHUS. Ordinary soil in sun. (sinensis (Eulalia). Foliage bright green. 4-8 ft. 50 cts. MISCANTHUS.

each -gracillimus. Narrow foliage. 3-4 ft. 50 cts.

—graciimus. Narrow foliage. 3-4 ft. 50 cts. each. —variegatus. Leaf-blades striped white, green, and often pink. 4-6 ft. \$1 each. —zebrinus (Zebra Grass). Broad yellow bands across the leaf. 4-5 ft. 50 cts. each.

MONARDA.

ONARDA. Ordinary soil in sun. didyma (Oswego Tea). Scarlet, scented foliage. 1½ ft. dyma (Osuse) July-Aug. -alba. White. 1½ ft. July-Aug. -rosea. Rose. 1 ft. —uly-Aug. -Wild Bergamot). Purple 2-3 ft. July-Aug.

-rosea. Rose. 1 ft. —uly fistulosa (Wild Bergamot).

MYOSOTIS.

YOSOTIS. Ordinary soil in shade. \*scorpioides (palustris). True Forget-me-not. 8 in. All summer.

NEPETA. **EPETA.** Light soil in sun or light shade. \***Mussini.** Mauve-blue. 1 ft. July-Sept July-Sept.

NIEREMBERGIA. Ordinary soil in sun. \*rivularis (White Cup). White. 5 in. OENOTHERA. Ordinary soil in sun.

June-July.

fruticosa (Common Sundrops). Rich yellow. 2 ft. June-Aug. missouriensis (macrocarpa). Large; light yellow. 10 in. June-Aug. 35 cts. each. speciosa. White. 1½ ft. Aug. Youngii. Bright yellow. 2 ft. June-Aug.

OPUNTIA.

**PUNTIA.** Dry soil in sun. vulgaris (Prickly Pear). Yellow flower cactus. 30 cts. each.

#### PAEONIA

We offer a large selection of the choicest varieties of these lovely flowers.

Prices, divided roots, strong plants, 50 cts. up, according to the variety. Heavy clumps according to size and variety, except where otherwise noted.

—Alba Superba. Creamy white, center rose.
Albatre. Large; creamy white; very free. Late.
—Albert Crousse. Shell pink. \$1.00 each.
—Antoine Poiteau.

Avalanche. Ivory-white. \$1 each.

-Bicolor Lemoine.

Bicolor Lemoine.
Baroness Schroeder. White.
Boadica. Yellowish white.
Totals de Neige. White. White. \$2 each.

-Barouss Sandalea. Yellowish white.
-Boule de Neige. White.
-Charlemagne. Lilac-white with bluish center; fragrant.
-Clare Dubois. Satiny pink. \$1.50 each.
-Caralin. Rose-pink. 60 cts. each.

Eduns Rose to Elegans. Rose to Eugene Bigot. Bri

-Delachet. Dark red.
-Doyen de Enkhuizen.
-Edulis Superba. Deep rose-pink. 60 cts. each.
-Elegans. Rose to white.
-Eugene Bigot. Brilliant crimson. Late. \$2 each.

Festiva Alba.

restiva Alba. White.
Festiva Maxima. Best white.
Golden Harvest. Nearest of yellow.
Goliath. Single; dazzling red.
Jeanne d'Arc. Pale lilac-rose; fragrant.
Karl Rosenfield. Brilliant crimson. \$2
Lady Bromwell. Pink.
Lady Lilian Ogle. White. \$1.50 each.
Liee's Grandiffora. Rosy red.
ivingstone. Lilac rose, late. \$1.00 each.
L'Illustration. Light rose.

Livingstone.

Modele de Feitonson. Modele de Feitonson. Dupont. Ivory-white. Late. cons. Dupont. Ivory-white. Late. cons. State of the constant of the const Mons.

Primevere. Crean Rose d'Amour. H.

Rothschild. Pink.
Rubra Triumphans. Bright carmine.
Sarah Bernhardt. Apple blossom-pink. Strong grower. \$1.50 each. Solfatare. Sulphury yellow to creamy white.

Solfatare. Sulphury yellow to Suzette. Rose-pink. \$2 each. —Welcome Guest. Silvery pink. —Zoe Calot. Rose color.

\$1.00 each.

PACHYSANDRA. Ordinary soil in shade or sun.

terminialis (Japanese Pachysandra). Glossy green foliage. 8 in. Trailing plant.

variegata. Variegated foliage.

PAPAVER. Well drained soil in sun. \*alpinum (Alpine Poppy). White. White. 8 in. June-July. 35 cts. each.

rupifragum. Salmon-red flowers. 30 cts, each. orientale (Oriental Poppy). Orange-scarlet. 2-3 ft. June-

July. 2-3 ft. Orange red. June-July.

Duke of Teck. cts. each. Gerald Perry. Apricot-orange, 2-3 ft. June-July,

each.

Goliath. Enormous rose-dorce, 2-3 ft. June-July, 40 cts. each.

Grand Mogul. Rich red. 50 cts. each.

Joyce. Cerise; distinct. 2-3 ft. June-July. 35 cts. each.

Lord Lambourne. Fringed orange. 2-3 ft. June-July. 50 ets. each.

Mahogany. Mahogany-maroon. 2-3 ft. June-July. ets. each. Mrs. Perry.

Salmon pink. 2-3 ft. June-July, 40 cts. each.

Olympia. Scarlet-red; semi double. 50 cts. each. Oriflamme. Rich orange-scarlet. 40 cts. each.

white with a crimson-maroon July. 60 cts, each.

Perry's White. Satiny white with a blotch, 2-3 ft. June-July, 60 cts, ca Princess Victoria Louise. Light pink. July, 50 cts, each.

Royal Scarlet. Deep scarlet, 50 cts, ea 2-3 ft.

50 cts. each.

PENNISETUM. Ordinary soil in sun. alopecuroides (japonicum). (Four (Fountain Grass.) Narrow foliage; bronze-purple, cylindrical flower-heads.

PENTSTEMON. Light soil in sun. diffusus (Bushy Pentstemon). Violet-blue. 2 ft. July.

Metallic blue foliage; purple flowers. grandiflorus. July. 30 cts. each. hirsutus (pubescens). purple. 15 in. July. Eastern Pentstemon).

Digitalis laevigatus (Foxglove Pentstemon). Purplish

2 1/2 1 July. white, 2½ ft. July. \*Ratani Minor, 4 in., lavender blue, good for rockeries. 35 ets. each.

Torreyi (Chelone barbata). Scarlet. 3 ft. June-July.

PHALARIS. Ordinary soil in sun.

arundinacea variegata (Ribbon Grass). Variegated foliage.

#### PHLOX

\*—Laphami, Lavender-trusses, 1 to 2 ft. April-May. \*amoena. Bright pink. 4-6 in. April-May. \*divaricata (canadensis). Fragrant; lavender. 10 May. 30 ets. each. 10 in. May. 30 cts. each.

—alba grandiflora. White variety; valuable, 12 in. May.

40 cts. each.

glaberrima suffruticosa, Alfa. Pink. 3 ft. April-May.

35 cts. each.

— Dr. Hornby. White, with pink, crimson center. 2 ft. April-May. 35 cts. each.

— Indian Chief. Lavender sheen and big purplish cyc. 2 ft. April-May.

— Miss Lingard. Glossy foliage. White. April-May. 35 cts. each.

— Wiss Lingard. (Nountain Phlox). Reddish pink 2 ft.

\*ovata (carolina).

I ft. June-July.
paniculata, Astrid. Clear red.
—Baron von Dedem. Cochineal-red.
—B. Comte. Satiny amaranth. 40 cts. each.
seculea nan. Blue. (Mountain Phlox). Reddish pink.

caerulea nan. Blue. Commander. Crimson, red eye, does not fade.

Coquelicot. Orange-scarlet. 50 cts. each. Showy.

Debs. Crimson. Showy. 50 cts. each.

Elizabeth Campbell. Light salmon-pink. 50 cts. each.

Eringe. Light blue.

PHLOX (Cont'd.)

-Europe.

-Europe. White with crimson-carmine eye. 30c each.
-Frau Anton Buchner. White.
-General Van Heutz. Fiery salmon-red.
-Goliath. Deep pink, late. 30 cts. each.
-Gruppenkoenigin. Pink eye. 30 cts. each.
-Independence. White. -Goliath.

Independence.

-Isabey, Salmon-red.

-Iris, Purple, 40 cts. each.

-Jules Sandow, Rose pink, 40 cts. each.

-Johnson's Favorite, Salmon, 50 cts. each.

-Josephine Gerbeaux, White, cherry-red eye.

-Iumineux, Carmine and rose.

-Maid Marian, Best lavender, 35 cts. each.

-Mare M. von Hoboken, Soft pink; large, 40 40 cts. each.

—Mrs. W. Jenknis. White.
—Peachblossom. Beautiful blush pink. 35 cts. each.
—R. P. Struthers. Brilliant rosy red.
—Special French. Peculiar shade of pink.
—Thor. Rich salmon-pink. 30 cts. each.
—Vidar. Bright reddish violet, white center. 30c each.
—w. C. Egan. Soft pnk. 30 cts. each.
\*subulata alba (Moss Phlox). White.
\*lilacina (Moss Phlox). Clear Illac.
\*—rosea (Moss Phlox). Pinkish red.
Subulata "Vivid." Deep rose. 30 cts. each.

Named varieties, except where otherwise noted, 2 each, \$2.50 per dz.; mixed varieties, \$1.50 per doz. 25 cts.

PHYSALIS. Ordinary soil in sun.
Francheti (Ground Cherry). Brilliant orange-scarlet seed-vessels or "lanterns." 2 ft. April-May.
Bunyardi. Different and very interesting. 25 cts. each.
—PHYGELIUS capensis (Cape Fuchsia). Light purplish flowers all summer. 2 ft. 75 cts. each.

PHYSOSTEGIA. Ordinary soil in sun.
virginiana (Virginia False Dragonhead). Pink. 2-3 ft.
May-June.

alba.

White. 2-3 ft. May-June.

a. Tall; deep pink. 5-6 ft.

Deep pink. Low. 1½ ft. -gigantea. Tall; dee -givid. Deep pink. June. May-June. 50 cts. each.

**PLATYCODON.** Ordinary soil in sun. grandiflorum (Balloon Flower). Deep blue. 1-2 ft. June-Mariesi. Low light bluish white.

Acid soil in shade. Apple). White flowers, fruit. April-May. 8 in. peltatum (May peltatum (May Appl yellow, edible fruit. followed by

POLEMONIUM. Ordinary soil; light shade. caeruleum (Greek Valerian). Blue. ½ ft.—album. White. 1-1½ ft. May-June. —himalayacum. Sky-blue. 2 ft. June-Aug. May-June.

cuspidatum (Sieboldi). Creamy white flowers. 5-7 ft. POLYGONUM.

POTENTILLA. OTENTILLA. Ordinary soil in sun. \*atrosanguinea (Himalayan Cinquefoil). Red.

June-Aug.
lifornica. Double; yellow. 2 ft. californica. July-Aug. 50 cts. each.

nepalensis (formosa). Rust red. 2 ft. July-Aug. 30 cts. each. purpurea. Dark red. 1-2 ft. July-Sept. 30 cts. each. \*Tonguei. Shading of yellow-orange. 6-8 in. July-Aug.

30 cts. each.
William Rollison.
50 cts. each. Double; mahogany; suffused orange.

poterium. Ordnar; obtusum (Burnet). Ordnary soil in sun. Burnet). White and rose. 2 ft.

PRUNELLA. Moist soil in shade. \*superba rosea (Self Heal). Pink. 1 ft. July-Aug.

**PULMONARIA.** Ordinary soil in sun. \*angustifolia (Cowslip Lungworth). 12 in. April-May. 35 cts. each. Deep gentian-blue

## **PRIMULA**

Hardy primroses delightful spring f garden or as edmi Hardy primroses are one of the most charming and delightful spring flowering plants for either the rock garden or as edgings to the perennial borders. A cool moist soil in semi-shade suits them best.

\*acaulis (English Primrose). Showy and fragrant. 6 in. April-May.

April-May.

\*\*Coerulea. A rare variety which comes in exquisite shades of blue. 6 in. April-May. 60 cts. each.

-\*fl. plena alba. An extremely choice and very rare type with double white flowers. 6-8 in. April-May. 75 cts. each.

cach.
-fl. pl. lilacina. Another rare gem with double lavender flowers. Very choice. 6-8 in. April-May. 75 ets. each.
-\*Auricula. Most attractive combination of colors. 6 in. May-June. 40 ets. each.
\*Bulleyana. Red-orange-buff. June-July. 35 ets. each.
\*cortusoides. Red. 12 in. June-July. 30 ets. each.
\*denticulata cashmeriana. Purplish lavender. Extremely early. 12 in. March-April. 35 ets. each, \$3.50 per doz

doz.

Pyramids of rich-colored

doz.
\*japonica. One of the best. Pyramids of rick flowers. 18 in. June. 30 cts. each.
x\*sikkimensis. Yellow. 18 in. June. Sold out
\*Veitchi. Rosy purple. 15 in. June-July. 50 c
\*veris suaveolens. Yellow. 9 in. May-June. Sold out. each. 30 cts.

\*veris (officinalis). (Cowslip Priumla). A strain with a wide range of colors. 12 in. June-July.

PYRETHRUM. Rich soil in sun.
roseum fl. pl. (Chrysanthemum coccineum). Beauti
double flowers in many choice shades. 2 ft. Ju
July. \$1.00 each.
RANUNCULUS. Ordinary soil in sun or light shade.
acris flore-pleno (Buttercup). Double; light yellow. Beautiful June-

18 May-June.

flore-pleno. Creeping; yellow; 1.0 repens double. in. May-June.

RODGERSIA. Moist peaty soil in shade, podophylla (Bronzeleaf). Ornamental leaves and white flowers. 2 ft. July-Aug.

ROSMARINUS. Ordinary soil in sun.
officinalis (Rosemary). Yields an aromatic oil. Old
fashoned herb. Not hardy except in South.

RUDBECKIA. Rich soil in sun.
maxima (Great Coneflower). Bluish metallic foliage;
yellow flowers with long, black cone. 5 ft. June-Sept

laciniata, Golden Glow. Golden yellow; double. 6-8 ft. speciosa (Newmanni). (Showy Coneflowers.) Orange-yellow. 2-3 ft. July-Oct

yellow. 2-3 ft. July-Oct. subtomentosa (Black-cyed Susan). brown disk. 2½ ft. Aug.-Sept. Bright yellow, with

RUMEX. Ordinary soil in sun. patentia (Sorrel). Used in the kitchen.

RUTA. Ordinary soil in sun. graveolens (Rue). Yellow flowers; entirely aromatic.

SALVIA. Ordinary soil in sun.

azurea. Light, sky-blue. 4-5 ft. Aug.-Sept.
azurea grandiflora (Pitcheri). Deep blue; large, late.

4-5 ft. Sept.-Oct. 40 cts. each.
farinacea (Mealy-cup Sage). Whorls of spikes of blue flowers. 2½ ft.
officialis (Graden Sage).

SANTOLINA. Ordinary soil in sun.
\*Chamaecyparissus (Lavender Cotton). very white leaves. 15 in.

SAPONARIA. Ordinary soil in sun. \*ocymoides (Rock Soapwort). Trailing. Rosy flowers. May-June. in.

officinalis (Bouncing Bet). White to rose-pink. July.

SATUREIA. Ordinary soil in sun. montana (Savory). Purple. 8 in. June-July.

SAXIFRAGA. Ordinary soil in sun. crassifolia (Megasea). (Leather Saxifrage.) Pink. \*Himalaica. Pink; later. \*Macnabiana. White, spotted. 35 cts. each. \*Umbrosa (London Pride). Pink flowers. Re \*Umbrosa (London Proshade. 35 cts. each. Requires

\*H. S. Stokes (Mossy). Rich red. 50 cts. each.
\*Pyramidalis (cotyledon). Large leaf rosettes, white flowers. 50 cts. each.

SCABIOSA. Rich soil in sun. caucasica (Blue Bonnet). Lavender. 18 in. June-Sept. cts. each. ba. White.

alba. 18 in. June-Sept. 35 cts. each.

SCILLA excelsior. Mixed colors; 20c each; \$2.00 doz.

SCUTELLARIA. Ordinary soil in sun.
\*baicalensis (Skullcap). Blue flowers in late summer.
12-15 in. July-Aug. 30 cts. each.

SEDUM.

- \*\*EDUM. Ordinary soil in sun.

  \*\*acre (Gold Moss). Bright yellow. 4 in. May-June.

  \*\*album (White Stonecrop). White. 4-6 in. July-Aug.

  \*\*Aizoon. Yellowish flowers. 1 ft. June.

  \*\*Altissimum. Light yellow, upright habit. 25 cts. each.

  \*\*anglicum. White. 3 in. June-July. 30 cts. each.

  \*\*Anacampseros (Shy Stonecrop). Low; light green foliage. 6 in. foliage. 6 in.
- \*carpaticum. Distinct, strong grower. 30 cts. each. \*dasyphyllum. White. 2 in. Light pink. June-Ju \*dasyphyllum. June-July. 35 cts. each.
  \*Fabaria. Narrow variegated leaves; pink flowers. 35 cts. each.
  \*Juponicum. Yellow. 8-10 in. July-Aug.

cts. each. \*japonicum. Yellow. 8-10 in. July-Aug. \*kamschaticum (Orange Stonecrop). Golden yellow. 8 in. \*Mainschatcum (Orange Stonecrop). Golden yellow. 8 ll. July.-Aug.
\*Lidium. Crimson-tinted foliage in autumn. 3 in. July.
\*Maximowiczi (Amur Stonecrop). Yellow. 10 in. July.
\*Middendorffianum. Yellow. 30 cts. each.
\*oppositifolium (Two-Row Stonecrop). White. 6 in.

July.

\*oregonum. Distinct. Emerald green foliage. 6 in. June-July. 30 cts. each. \*Fruniatum. Pale yellow, frosted. 30 cts. each. —\*Fosterianum. Very distinct. Gray-purple foliage.

cts. each. 30 -\*reflesxum. 4-6 in. July. Fine carpeter. 30

cts. each.

\*Sieboldi. Light pink. 8-10 in. Sept.

\*Replesiana. Upright growing. 25 cts. each.

\*Rupestre. Yellow. 25 cts. each.

\*Sexangulare. Bright green leaves, six-angled; yellow Rosy pink. spectabile (Showy Stonecrop). 12-15 in.

Sept. spectabile atropurpurea (Purple Showy Stonecrop.) 12-15

each. is. Yellow variegated foliage. Aug.-Sept. 40 cts. ea bile foliis variegatis. spectabile

12-15 in. Aug.-Sept. \*stoloniferum (spurium). 6-8 in. July-Aug. (Running Stonecrop.) Pink.

\*stoloniferum coccineum (Scarlet Running Stonecrop). Carmine. 6-8 in. July-Aug. \*undulatum. Creeping, pinkish flowers. \*tenuifolium. White.

SEMPERVIVUM. Well drained soil in sun.

\*\*Browni. For rockeries. 30 cts. each.

\*glaucum. Grayish, for rockeries. 30 cts. each.

\*glaucum. Grayish, for rockeries. 30 cts. each.

\*Montanum, distinct, for rockeries. 30 cts. each.

\*tectorum (robustum). (Roof House-Leek.) For rockeries. 2 in. Forms cactus-like rosettes.

\*globiferum. Compact, light green, distinct. 35 cts. ea.

2-4 ft.

SENECIO. Ordinary soil in sun. pulcher (Uruguay Groundsel). Rosy purple. July-Aug. 35 cts. each. Veichianus. Yellow. 3-4 ft. July-Aug. 50 c 50 cts. each. \$5.00 per doz.

SIDALCEA. Ordinary soil in sun.

Rose-pink. 3-5 ft. July-Aug. 35 cts. Rose Queen. Rose-pink.

**(LENE.** Well drained soil in sun. \*maritima. White, 6 in. May-June, 0 ts. each. \*Schafta. Bright pink, 6 in. July-Sept. 30 ets. each.

SILPHIUM. **LPHIUM.** Ordinary soil in sun. perfoliatum (Rosinweed). Yellow. 6-8 ft.

SISYRINCHIUM. Ordinary soil in sun. angustifolium (bermudianum). (Blue-eyed Grass.) Blue flowers on tops of grass-like foliage. 1 ft. May-July. Blue

Ordinary soil in sun. STACHYS.

grandiflora (Betony). Pink; snowy. 12 in. June-July lanata. Woolly, silvery white foliage; purple flowers. June-July.

**STATICE.** Well drained soil in \*Armeria (Common Thrift). r sun. True. Rose, 3-6 in. May-June

\*cephalotes rubra (Sea-pink), 12-18 in. June, 35e ea.
\*pseudo-armeria (Armeria formosa), (False Thrift.)
Bright rose-pink, 12-15 in. June, 35e ea.

STENANTHIUM. Moist, cool soil in shade. robustum (Feather Fleece). Showy w flowers. 3-4 ft. July-Aug. 35 cts. each. white. Fleecy

STOKESIA.

rokesia. Rich soil in sun. laevis (cyanea). (Stokes' Aster.) ft. July-Sept. —alba. White. 1-2 ft. July-Sept. Layender-blue. 1-9

TANACETUM. Ordinary soil in sun. vulgare (Common Tansy). Useful as herbs.

TEUCRIUM. Ordinary soil in sun.
Charmaedrys (Germander). Purple. 1-2 ft. July-Sept.
30 cts. each.

THALICTRUM. Ordinary soil in light shade.
aquilegifolium (Columbine Meadow Rue). White and
pink. 2-3 ft. May-July.
dipterocarpum (Yunnan Meadow Rue). Distinct. Violetmauve, brightened with lemon-yellow stamens and anthers. 4 ft. Aug.-Sept. 40 cts. each.
glaucum. Glaucous foliage; bronze-yellow flowers. 2 ft.

June-July.
flavum. Yellow. 3-4 ft. July-Aug.
\*mnus (Low Meadow Rue). Greenish yellow. 1-2 ft. June-July.

THERMOPSIS. Ordinary soil in sun. caroliniana. Yellow. 3-4 ft. June-July. 35 cts. each.

HYMUS. Well drained soil in sun. \*Serpyllum (Thyme). Dark green foliage. 6 in. Fine THYMUS.

ground cover

ground cover.

\*Serpyllum album variegatum. Silver leaf variegated
Thyme. 35 cts. each.

\*—aureus. Golden variegated foliage, 6 in. Charming.

\*—coccineus. Dark green foliage; red flowers. 6 in.

\*—lanuginosus (Wooly-leaved thyme). 6 in. Choice.

vulgaris. Used in the kitchen. 9-12 in.

TIARELLA.

IARELLA. Cool soil in shade, purpurea major (Foam Flower). Bright foliage; salmon-red flowers. 15-18 in.

TRADESCANTIA. Ordinary soil in sun.

virginiana (Virginia Spiderwort). Blue or violet. 2 ft. July-Sept. —alba. White, 2 ft. July-Sept. —coccinea. Red. 2 ft. July-Sept. 30 cts. each.

Ordinary soil in sun.

TRITONIA (Montbretia). Ordinary s aurantiaca. Deep golden yellow. crocosmaeflora. Scarlet and yellow. Hybrids. New. Big-flowering, mix Big-flowering, mixed. 20 ets. each. \$2 per doz.

Pottsi. Orange-scarlet. speciosa. Yellow with red.

All Tritonias 80 cts. per doz., except where otherwise noted.

TROLLIUS. Rich soil in semi-shade.
The trollius or (Globe Flower) is a very charming plant and gives a wealth of bloom with little care. should be planted in masses for best effect.
—Çanary Bird. Pale yellow. 1-1½ ft. May-June.

June. June

-Salamander. Dark yellow. 1-142 ft. May-June. europaeus. Large; lemon-yellow. 1-142 ft. May-Aug. -superbus. Pure yellow. 1-142 ft. May-Aug.

Excelsior. Orange-red. 2 ft. April-June. 50 cts. each. Golden Annette. Yellow. 1½ ft. May-June. Orange Globe. Golden orange. 2 ft. May-June. 50 cts.

Orange Princess. Deep orange. 2 ft. May-June. 50 cts.

ledebour. Orange flowers, late. 21/2 ft. 75 cts. each.

All Trollius are 35c each, \$4 per doz., except where otherwise noted.

Collection of 6 varieties of Trollius, two of each our choice, \$4.

TUNICA.

UNICA. Light, well drained soil in sun. \*Saxifraga (Tunic Flower). Pink. 6 in. July-Sept. \*—alba. White. 6 in. July-Sept. \*—Fl. pl. Double white. 35 cts. each. (Sold out for \*—alba. \*—Fl. pl.

season.)

UNIOLA

NIOLA. Ordinary soil in sun. latifolia (Spike Grass). Drooping panicles of ornamen-tal flat heads. 2-3 ft.

VALERIANA. Ordinary soil in sun.
officinalis (Garden Heliotrope). Rose-pink strong odor.
officinalis (Garden Heliotrope). Rose-pink strong odor. June. 4 ft.

VERBASCUM. Ordinary soil in sun.
longifolium pannosum (Golden Gate Mullein). Purple
and other shades. 3-4 ft. July-Sept.
theysiforme (densifiorum). Yellow. 4-5 ft. July-Sept.
75 cts. each.

VERONICA. Ordinary soil in sun.
\*incana (Woolly Speedwell). Silvery gray foliage and dark violet-blue flowers. 1 ft. July-Aug.
\*gentianoides (Genotian Speedwell). Violet. 9 in. May-

\*gentianoides (Genotian Speedwell). June. 30 cts. each.
longifolia subsessilis (Clump Speedwell). Intense lustrous blue. 2 ft. Aug.-Sept. 30 cts. each, \$3 per doz.
\*repens (Creeping Speedwell). White and blue. 2 in. trous blue.
\*repens (Cree
May-June.

May-June.

May-June.

May-June.

Spicata (Spike Speedwell). Blue. 1½ ft. July.

—alba. White. 1½ ft. June-July.

—Blue Ridge. Dark blue. 1½ ft. June-July. 30c each.

—rosea. Rose. 1½ ft. June-July.

\*Teucrum rosea. Dwarf; lght pink. 6 in. May-June.

VINCA. Ordinary soil in light shade.

major (Bigleaf Periwinkle). Green leaves; blue flowers. Creeper Silvery variegated foliage. -variegata. Creeper.

cts. each. \*minor. Evergreen trailer; much smaller leaves than

V. major.

VIOLA.

\*\*Torsey Gem. Pure violet. Blooms all season. 9 in. each.

\*—papilio. Violet with dark eye. 9 in. June-Aug. \*odorata alba. White, fragrant. 3-6 in. June. \*—odorata rosea. Pink. 30 cts. each. \*—flore-pleno. (Violet). True. Double white. Fragrant. 9 in. June. \*—flore-pleno. The substitution of the substitu

y in. June.
\*—flore-pleno alba. White violet. Double. 9 n. June.
\*—Gov. Herrick. Sweet-sicented; clear shade of blue.
8 in. June.
\*tricolor (Pansy). Best of colors and sizes at market

price.

YUCCA.

UCCA. Well drained soil in sun. filamenthosa (Adam's Needle). Sword-like foliage; spikes of cream-white, fragrant flowers. 4-6 ft. June-July. of cream-white, 25 cts. to \$1 eac

25 cts. to \$1 each. filamentosa variegata. Yellow 4-6 ft. June-July. \$1 each. Yellow and green striped foliage.

**VISITORS.** We are always glad to welcome visitors who are interested in hardy plants. The flowering season starts with the opening of spring and continues until late fall, when a strong frost generally destroys the last of the very late-flowering plants.

**EATION.** Our Gardens are located on main Boston Post Road  $1\frac{1}{2}$  miles east of Madison, or 2 miles west of Clinton, on the edge of Hammonassett State Park LOCATION. (Shore).